BETEX



MOBILE HYDRAULIC PULLER













MOBILE HYDRAULIC PULLER

BETEX MOBIPULLER

THE BETEX MOBIPULLER is a heavy duty, mobile hydraulic puller. It is used for dismantling bearings, couplings, gears and other parts, with relative speed and ease. The Mobipuller excels through functional and ergonomic operation. It is stable, mobile and adjustable in height. A maximum tractive force of either 25 or 50 tons can be applied with diameters of up to 430 mm. To ensure safe and easy operation the electrical models are equipped with remote control, safety cage and pressure gauge.


Double acting electric





All models are standard equipped with

- an oil-filled pressure gauge
- 4 adaptors with an ID of 40 mm (2pcs) and 50 mm (2pcs)
- 4 stable wheels with polyurethane tires, 2 swiveling wheels with double functioning brake
- Safety cage



In standard position mm: see table In extended position mm: A: see table B: Frame length in standard pos. mm: 1560 Frame length in extended pos. mm: 1940 Position low / high mm: 1510/2040 Dimensions L x B mm: 1570x990 Diameter of jaws mm: 430 Set-up height mm: 900/1430 Adapters mm (155 mm): 2xØ40, 2xØ50

Single acting electric





Single acting manual







Auxiliary tools for dismantling of inner rings and delicate components (option).

Meaning of codes:					
25-50	tractive force in tons				
430	max. diameter in mm				
Н	manual hydraulic				
E	electrical hydraulic				
V	mobile				
Α	remote control				
S	max. stroke in mm				
D	double acting				

Туре	Art. no.	Cap. ton	Stroke cylinder	Pump hydraulic manual/electrical	In standard position A1	In extended position A2	Weight kg
					mm	mm	
25 HV 430 S 260	700001	25	260	manual	770	1150	415
25 EVA 430 S 260	700002	25	260	single acting electrical	770	1150	430
50 HV 430 S 260	700003	50	260	manual	740	1120	435
50 EVA 430 S 260	700004	50	260	single acting electrical	740	1120	450
50 EVA 430 S 340	700005	50	340	single acting electrical	660	1040	455
50 EVAD 430 S 340	700006	50	340	doucle acting electrical	615	995	470
50 EVAD 430 S 460	700007	50	460	doucle acting electrical	470	850	485